DIGITAL PREVIEW CATALOGUE SEASON 2023







60V CORDLESS WALK MOWERS



PETROL WALK MOWERS











HAWK **36 60V CORDLESS WALK MOWERS**







MODEL	HAWK 36 CODE553A				
Cutting Width		36 cm			
Motor		600 W Brushless 60V			
Hayter 60V Battery	L1	35 Battery (60V 2.5 Ah 135 V	Vh)		
Hayter 60V Charger		Standard Charger (60V 2.0Ah	n)		
Maximum Area Cut⁺	Battery	Watt Hours	Max Area Cut⁺		
with one charge	L135 (2.5 Ah)	135	800 m ²		
Drive System		Push			
Drive Speed	_				
Starter		Push Button			
Height of Cut	1-point, 6 position, 19-70 mm				
Deck Type		Polymer			
Weight	21 kg (without Battery)				
Key Features	Power Boost Technology, 2-Speed Switch (Standard/Boost-Max), Vertical Stow, Quick Storage Handlebar, Rear-Roller, 40 L Grassbox Capacity				
Warranty*		3-Year Full Coverage			



Η	A١	N	Κ	4	3
60V C	ORDL	ESS V	VALK	MO	WERS



MODEL	HAWK 43 CODE554A			CODE555A		
Cutting Width		► 43 cm		43 cm		
Motor	▶ 850 W Brushless 60V		850 W Brushless 60V		0V	
Hayter 60V Battery	▶ L216 Ba	attery (60V 4.0 A	h 216 Wh)	L216 Battery (60V 4.0 Ah 216 Wh)		
Hayter 60V Charger	Standa	ard Charger (60V	2.0Ah)	Standard Charger (60V 2.0Ah)		
Maximum Area Cut⁺	Battery	Watt Hours	Max Area Cut⁺	Battery	Watt Hours	Max Area Cut⁺
with one charge	L216 (4.0 Ah)	216	1450 m²	L216 (4.0 Ah)	216	900 m ²
Drive System		Push			Variable Speed	
Drive Speed	-		1.8 - 2.5 mph			
Starter	Push Button			Push Button		
Height of Cut	1-point, 6 position, 19-70 mm		1-point, 6 position, 19-70 mm		70 mm	
Deck Type	Polymer		Polymer			
Weight	23 kg (without Battery)		25 kg (without Battery))	
Key Features	Power Boost Technology, 2-Speed Switch (Standard/Boost-Max), Vertical Stow, Quick Storage Handlebar, Rear-Roller, 50 L Grassbox Capacity				al Stow, Quick	
Warranty*	3.	-Year Full Covera	ge	3	-Year Full Covera	ge



⁺ Based on low speed in controlled laboratory testing of product. Run time varies with load.

PLAY PRODUCT VIDEO	COMPACT Solution 2 Solution			ARR CORDLESS COMPACT		
MODEL	HARRIER 41 60 CODE 373A	V		HARRIER 41 60 CODE 377A	V	
Cutting Width		41 cm			41 cm	
Motor	1500 W Brushless 60V		1500 W Brushless 60V			
Hayter 60V Battery	L216 Battery (60V 4.0 Ah 216 Wh)		▶ L324 Battery (60V 6.0 Ah 324 Wh)			
Hayter 60V Charger	Standard Charger (60V 2.0Ah)		Standard Charger (60V 2.0Ah)			
	Battery	Watt Hours	Max Area Cut⁺	Battery	Watt Hours	Max Area Cut⁺
Maximum Area Cut⁺ with one charge	L216 (4.0 Ah)	216	TBC m ²	L324 (6.0 Ah)	324	860 m²
Drive System	Push		► Variable Speed			
Drive Speed		-		1.8 - 3.0 mph (Standard) 2.1 - 3.3 mph (Boost Max mode)		
Starter		Push Button		Push Button		
Height of Cut	1-poin	1-point, 7 position, 13-60 mm		1-point, 7 position, 13-60 mm		60 mm
Deck Type	Aluminium Aluminium					
Weight	35 kg (without Battery)		34 kg (without Battery)			
Key Features	Power Boost Technology, 2-Speed Switch (Standard/Boost-Max), Trim Side, Easy-Wash, Rear-Roller, 60 L Grassbag Capacity Roller, ▶ 60 L Grassbag Capacity			Easy-Wash, Rear-		
Warranty*	5-Year Mower Coverage5-Year Mower Coverage3-Year Battery Coverage3-Year Battery CoverageLifetime Deck CoverageLifetime Deck Coverage			rage		



HARRIER 48 60V CORDLESS WALK MOWERS



PLAY PRODUCT VIDEO



MODEL	HARRIER 48 60V CODE 477A				
Cutting Width		► 48 cm			
Motor		2000 W Brushless 60V			
Hayter 60V Battery	•	► L405 Battery (60V 7.5 Ah 405 Wh)			
Hayter 60V Charger		Standard Charger (60V 2.0A	n)		
Marian Anna Cartt	Battery	Watt Hours	Max Area Cut⁺		
Maximum Area Cut ⁺ with one charge	L405 (7.5 Ah)	405	955 m²		
Drive System	Variable Speed				
Drive Speed	1.7 - 2.9 mph (Standard) 2.0 - 3.2 mph (Boost Max mode)				
Starter		Push Button			
Height of Cut		1-point, 7 position, 13-60 mm			
Deck Type		Aluminium			
Weight	42 kg (without Battery)				
Key Features	Power Boost Technology, 2-Speed Switch (Standard/Boost-Max), Trim Side, Easy-Wash, Rear-Roller, ▶ 70 L Grassbag Capacity				
Warranty*	5-Year Mower Coverage 3-Year Battery Coverage Lifetime Deck Coverage				

Step-up Feature



PLAY PRODUCT VIDEO		ARRIER 41 PETROL WALK MOWERS	COMPACT Soo m ²
MODEL	HARRIER 41 CODE 374A	HARRIER 41 CODE 375A	HARRIER 41 CODE 376B
Cutting Width	41 cm	41 cm	4
Engine	Briggs & Stratton 575EX Series	Briggs & Stratton 625 EXi Series	Briggs & Strat
Drive System	Push	► Variable Speed	Variab
Drive Speed	-	▶ 2.1 - 3.3 mph	2.1 -
Starter	Pull Cord, Zone start	Pull Cord, Zone start	▶ Pusl
Height of Cut	1-point, 7 position, 13-60 mm	1-point, 7 position, 13-60 mm	1-point, 7 pos
Deck Type	Aluminium	Aluminium	Alur
Weight	34 kg	37 kg	3
Key Features	Vari-Pitch™ Cutting Technology¹, Trim Side, Easy-Wash, Rear-Roller, 60 L Grassbag Capacity	Vari-Pitch™ Cutting Technology¹, Trim Side, Easy-Wash, Rear-Roller, 60 L Grassbag Capacity	Vari-Pitch™ Cutting T Easy-Wash, Rear-Rolle
Warranty*	5-Year Mower Coverage Lifetime Deck Coverage Lifetime Crankshaft Warranty	5-Year Mower Coverage Lifetime Deck Coverage Lifetime Crankshaft Warranty	5-Year Mov Lifetime Do Lifetime Cran





41 cm

ratton 575iS Series

able Speed

- 3.3 mph

ush Button

osition, 13-60 mm

uminium

38 kg

g Technology¹, Trim Side, ller, 60 L Grassbag Capacity

lower Coverage Deck Coverage rankshaft Warranty

PLAY PRODUCT VIDEO	MEDIUM 500 m ²	ARRIER 48 PETROL WALK MOWERS	MEDIUM 500 m ²
MODEL	HARRIER 48 CODE 474A	HARRIER 48 CODE 475A	HARRIER 48 CODE 476A
Cutting Width	48 cm	48 cm	48
Engine	Hayter® 159cc OHV GTS	Briggs & Stratton® 650 EXi Series™ with ReadyStart®	Briggs & Stratto with
Drive System	Variable Speed	Variable Speed	Variab
Drive Speed	2.1 - 3.3 mph	2.1 - 3.3 mph	2.1 - 3
Starter	Pull Cord, Zone start	Pull Cord, Zone start	▶ Pusł
Height of Cut	1-point, 7 position, 13-60 mm	1-point, 7 position, 13-60 mm	1-point, 7 pos
Deck Type	Aluminium	Aluminium	Alun
Weight	47 kg	48 kg	44
Key Features	Vari-Pitch™ Cutting Technology¹, Trim Side, Easy-Wash, Rear-Roller, 70 L Grassbag Capacity	▶ Blade Brake Clutch, Vari-Pitch™ Cutting Technology¹, Trim Side, Easy-Wash, Rear-Roller, 70 L Grassbag Capacity	Vari-Pitch™ Cutting T Easy-Wash, Rear-Rolle
Warranty*	5-Year Mower Coverage Lifetime Deck Coverage Lifetime Crankshaft Warranty	5-Year Mower Coverage Lifetime Deck Coverage Lifetime Crankshaft Warranty	5-Year Mov Lifetime De Lifetime Cran





48 cm

Itton® 675iS Series™ :h InStart®

able Speed

- 3.3 mph

ush Button

osition, 13-60 mm

uminium

44 kg

g Technology¹, Trim Side, ller, 70 L Grassbag Capacity

ower Coverage Deck Coverage ankshaft Warranty

PLAY PRODUCT VIDEO		ARRER 56 PETROL WALK MOWERS	LARGE 1,000 m ²
MODEL	HARRIER 56 CODE 574A	HARRIER 56 CODE 575A	HARRIER 56 CODE 576B
Cutting Width	56 cm	56 cm	5,
Engine	Hayter® 159cc OHV GTS	Briggs & Stratton® 850E Series™ I/C with ReadyStart®	Briggs & Stratt with DO ^V
Drive System	Variable Speed	Variable Speed	Variat
Drive Speed	1.0 - 2.9 mph	1.0 - 2.9 mph	1.0 -
Starter	Pull Cord, Zone start	Pull Cord, Zone start	► Pus
Height of Cut	1-point, 7 position, 13-60 mm	1-point, 7 position, 13-60 mm	1-point, 7 pos
Deck Type	Aluminium	Aluminium	Alur
Weight	52 kg	54 kg	5
Key Features	Vari-Pitch™ Cutting Technology¹, Trim Side, Easy-Wash, Rear-Roller, 70 L Grassbag Capacity	▶ Blade Brake Clutch, Vari-Pitch™ Cutting Technology¹, Trim Side, Easy-Wash, Rear-Roller, 70 L Grassbag Capacity	Vari-Pitch™ Cutting Easy-Wash, Rear-Rolle
Warranty*	5-Year Mower Coverage Lifetime Deck Coverage Lifetime Crankshaft Warranty	5-Year Mower Coverage Lifetime Deck Coverage Lifetime Crankshaft Warranty	5-Year Mov Lifetime D Lifetime Crar





56 cm

ratton® 775iS Series™ OOV® & InStart®

iable Speed

) - 2.9 mph

ush Button

oosition, 13-60 mm

luminium

52 kg

ng Technology¹, Trim Side, oller, 70 L Grassbag Capacity

5-Year Mower Coverage Lifetime Deck Coverage Lifetime Crankshaft Warranty

HARRIER **PRO**

60V CORDLESS PROFESSIONAL WALK MOWERS





HARRIER PRO PETROL PROFESSIONAL WALK MOWERS

PLAY PRODUCT VIDEO	COMMERCIAL MOWING 1,000 m ²	COMMERCIAL MOWING 1,000 m ²	COMMERCIAL MOWING 1,000 m ²
MODEL	HARRIER 41 PRO CODE 379B	HARRIER 48 PRO CODE 479B	HARRIER 56 PRO CODE 579A
Cutting Width	41 cm	► 48 cm	•
Engine	Honda® GCVX145 OHC	Honda® GCVX170 OHC	Briggs & Stratt
Drive System	Fixed Speed	Fixed Speed	Fixe
Drive Speed	3.2 mph	3.2 mph	►3
Starter	Pull Cord, Zone start	Pull Cord, Zone start	Pull Cor
Hand/Arm Vibration (HAV)	3.6 m/s ²	3.5 m/s²	3.
Height of Cut	1-point, 7 position, 13-60 mm	1-point, 7 position, 13-60 mm	1-point, 7 pc
Deck Type	Aluminium	Aluminium	Alu
Weight	41 kg	52 kg	
Key Features	Vari-Pitch™ Cutting Technology¹, Trim Side, Easy-Wash, Rear-Roller, 70 L Grassbag Capacity	▶ Blade Brake Clutch, Vari-Pitch™ Cutting Technology ¹ , Trim Side, Easy-Wash, Rear-Roller, 70 L Grassbag Capacity	Blade Brake Cluto Technolo Easy-Wash, Rear-Roll
Warranty*	2-Year Commercial Mower Coverage Lifetime Crankshaft Warranty	2-Year Commercial Mower Coverage Lifetime Crankshaft Warranty	2-Year Commer Lifetime Cra

* For full warranty terms and conditions, please refer to the operator's manual on www.hayter.co.uk





▶ 56 cm

atton® 850E I/C Recoil

ixed Speed

3.3 mph

Cord, Zone start

3.6 m/s²

position, 13-60 mm

Aluminium

59 kg

utch, Vari-Pitch™ Cutting blogy¹, Trim Side, oller, 70 L Grassbag Capacity

nercial Mower Coverage Crankshaft Warranty

MERCHANDISE





1990'S ERA" MUG

134-7064

HAYTER STRIPE SOCKS

ER

134-7070

